

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Issue date: 16/03/2020

Revision date: 16/03/2020

Supersedes: 01/02/2017

Version: 1.1

SDS No: 12236-0015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : PETROLETHER 40/60  
Chemical name : Naphtha (petroleum), hydrotreated heavy  
EC-No. : 931-254-9  
CAS-No. : 64742-49-0  
REACH registration No : 01-2119475515-33

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Organic solvent

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Imbach Chemie AG  
Pilatusstrasse 31  
5630 Muri  
T +41 56 664 06 16 - F +41 56 664 06 17  
[info@imbachchemie.ch](mailto:info@imbachchemie.ch) - [www.imbachchemie.ch](http://www.imbachchemie.ch)

#### 1.4. Emergency telephone number

Emergency number : England & Wales: 111, Scotland: 111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS08

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.  
H304 - May be fatal if swallowed and enters airways.  
H315 - Causes skin irritation.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
SDS No: 12236-0015

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273 - Avoid release to the environment.  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
P243 - Take action to prevent static discharges.  
P260 - Do not breathe dusts or mists.  
P262 - Do not get in eyes, on skin, or on clothing.  
P331 - Do NOT induce vomiting.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name : PETROLETHER 40/60  
CAS-No. : 64742-49-0  
EC-No. : 931-254-9

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphtha (petroleum), hydrotreated light (Note P)	(CAS-No.) 64742-49-0 (EC-No.) 265-151-9 (EC Index-No.) 649-328-00-1 (REACH-no) 01-2119475515-33	100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Take off immediately all contaminated clothing. In the event of persistent symptoms receive medical treatment. Take affected person away from danger area.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician. In case of loss of conscience place the victim in the recovery position.  
First-aid measures after skin contact : Wash off immediately with soap and plenty of water. Treat subsequently with skin cream. Get medical advice if skin irritation persists.  
First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult an ophthalmologist if irritation persists.  
First-aid measures after ingestion : Attention. Beware, danger of aspiration. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : High concentration of vapours may induce: headache, dizziness, drowsiness, nausea and vomiting.  
Symptoms/effects after skin contact : Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.  
Symptoms/effects after eye contact : May cause eye irritation.  
Symptoms/effects after ingestion : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SDS No: 12236-0015

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : high volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : In use, may form flammable/explosive vapour-air mixture.  
Hazardous decomposition products in case of fire : Carbon monoxide.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.  
Other information : Vapours are heavier than air and may spread along floors. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Cool containers at risk with water spray jet.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No flames, no sparks. Eliminate all sources of ignition. Evacuate unnecessary personnel. Wear personal protective equipment.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Handle and open container with care. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Avoid formation of aerosols. Take precautionary measures against static discharge. Explosion free apparatus have to be used. Vapours are heavier than air and may spread along floors.  
Hygiene measures : Do not inhale vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Treat subsequently with skin cream. Avoid contact with skin, eyes and clothing. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed in a dry, cool and well-ventilated place. Pay attention to explosion protection guidelines.  
Incompatible products : Oxidizing agent.  
Heat and ignition sources : Keep away from heat and direct sunlight.  
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SDS No: 12236-0015

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Pay attention to explosion protection guidelines.

#### Hand protection:

Protective gloves. This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,35		EN ISO 374

#### Eye protection:

Protective goggles (EN 166)

#### Skin and body protection:

Solvent-resistant protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Breathing apparatus with filter		Short term exposure	
Self contained breathing apparatus		Long term exposure	

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless. Clear.
Odour	: Petrol.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 40 – 60 °C
Flash point	: < -30 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SDS No: 12236-0015

Density	: 0.65 g/cm <sup>3</sup> (20°C)
Solubility	: Water: immiscible
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive. Flammable or explosive vapour/air mixtures may be formed.
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 1 vol %
Upper explosive limit (UEL)	: 7 vol %

### 9.2. Other information

VOC content	: 100 %
Additional information	: Ignition temperature 245°C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

To avoid thermal decomposition, do not overheat.

### 10.3. Possibility of hazardous reactions

Reacts with : oxidizing materials.

### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Vapour/air-mixtures are explosive at intense warming. Heating can release vapours which can be ignited.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

No decomposition if stored normally. Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

### PETROLETHER 40/60 (64742-49-0)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
SDS No: 12236-0015

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Do not flush into surface water or sewer system

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Sewage disposal recommendations : Do not discharge into drains.  
Product/Packaging disposal recommendations : Should not be disposed of with household waste. Empty containers should be taken for local recycling, recovery or waste disposal. Packaging that cannot be cleaned should be disposed of like the product.  
European List of Waste (LoW) code : 16 05 08\* - discarded organic chemicals consisting of or containing dangerous substances

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 3295	UN 3295	UN 3295	UN 3295	UN 3295
<b>14.2. UN proper shipping name</b>				
HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.	Hydrocarbons, liquid, n.o.s.	HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.
<b>Transport document description</b>				
UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3295 Hydrocarbons, liquid, n.o.s., 3, II, ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, II, ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, II, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SDS No: 12236-0015

### 14.4. Packing group

II	II	II	II	II
----	----	----	----	----

### 14.5. Environmental hazards

Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
-------------------------------------	---	-------------------------------------	-------------------------------------	-------------------------------------

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : F1  
Special provisions (ADR) : 640D  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02, R001  
Mixed packing provisions (ADR) : MP19  
Transport category (ADR) : 2  
Hazard identification number (Kemler No.) : 33  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : 3YE

#### Transport by sea

Limited quantities (IMDG) : 1 L  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P001  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-D  
Properties and observations (IMDG) : Immiscible with water.

#### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y341  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 353  
PCA max net quantity (IATA) : 5L  
CAO packing instructions (IATA) : 364  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A224  
ERG code (IATA) : 3H

#### Inland waterway transport

Classification code (ADN) : F1  
Special provisions (ADN) : 640D  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01  
Number of blue cones/lights (ADN) : 1

#### Rail transport

Classification code (RID) : F1  
Special provisions (RID) : 640D  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02, R001  
Transport category (RID) : 2  
Hazard identification number (RID) : 33

# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SDS No: 12236-0015

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
40.	PETROLETHER 40/60 ; Naphtha (petroleum), hydrotreated light	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

PETROLETHER 40/60 is not on the REACH Candidate List

PETROLETHER 40/60 is not on the REACH Annex XIV List

PETROLETHER 40/60 is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

PETROLETHER 40/60 is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 100 %

#### Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000
E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association



# PETROLETHER 40/60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SDS No: 12236-0015

IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.